

毎日検査結果書

平成29年11月

場所	大網白里市 池田				大網白里市 四天木				九十九里町 不動堂				山武市松尾町 山室				山武市蓮沼 二				横芝光町 新島			
	項目 日	残留塩素	pH	色	濁り	残留塩素	pH	色	濁り	残留塩素	pH	色	濁り	残留塩素	pH	色	濁り	残留塩素	pH	色	濁り	残留塩素	pH	色
1	0.7	6.8	無	無	0.7	6.9	無	無	0.5	6.9	無	無	0.2	7.0	無	無	0.2	7.0	無	無	0.4	7.0	無	無
2	0.7	6.8	"	"	0.7	6.9	"	"	0.4	6.8	"	"	0.2	7.2	"	"	0.2	7.0	"	"	0.4	7.0	"	"
3	0.7	6.8	"	"	0.7	6.9	"	"	0.4	6.8	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.4	7.0	"	"
4	0.7	6.8	"	"	0.7	7.0	"	"	0.4	6.8	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.4	7.0	"	"
5	0.7	6.8	"	"	0.7	6.9	"	"	0.4	6.8	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.4	7.0	"	"
6	0.7	6.8	"	"	0.7	6.9	"	"	0.4	6.8	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.4	7.0	"	"
7	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.4	7.0	"	"
8	0.7	6.8	"	"	0.7	7.0	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.4	7.0	"	"
9	0.7	6.8	"	"	0.7	7.0	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.1	7.0	"	"	0.4	7.0	"	"
10	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.1	7.0	"	"	0.4	7.0	"	"
11	0.7	6.8	"	"	0.7	6.9	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.4	7.0	"	"
12	0.7	6.8	"	"	0.7	6.9	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
13	0.7	6.8	"	"	0.8	6.9	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.4	7.0	"	"	0.4	7.0	"	"
14	0.7	6.8	"	"	0.7	6.9	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.2	7.0	"	"	0.3	7.0	"	"
15	0.7	6.8	"	"	0.7	6.9	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
16	0.7	6.8	"	"	0.7	7.0	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
17	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
18	0.7	6.8	"	"	0.7	7.0	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
19	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.3	7.0	"	"
20	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.3	7.0	"	"
21	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
22	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
23	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
24	0.7	6.8	"	"	0.8	6.9	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
25	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
26	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
27	0.7	6.8	"	"	0.8	6.9	"	"	0.6	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
28	0.7	6.8	"	"	0.7	6.9	"	"	0.5	6.9	"	"	0.2	7.0	"	"	0.3	7.0	"	"	0.4	7.0	"	"
29	0.7	6.8	"	"	0.7	6.9	"	"	0.7	6.9	"	"	0.2	7.0	"	"	0.4	7.0	"	"	0.4	7.0	"	"
30	0.7	6.8	"	"	0.7	7.0	"	"	0.7	6.9	"	"	0.2	7.0	"	"	0.4	7.0	"	"	0.4	7.0	"	"
平均	0.7	6.8	無	無	0.7	6.9	無	無	0.5	6.9	無	無	0.2	7.0	無	無	0.3	7.0	無	無	0.4	7.0	無	無